

# Open Space Audit 2015

## Appendices

Published July 2016  
(Surveyed June 2015)



Growing a Strong Warrington

WARRINGTON  
Borough Council





## **Appendix 1: Quality Assessment Criteria**



## APPENDIX 1

### **Quality Criteria Assessment (To Assist Criteria Scoring)**

---

The following table provides examples or visions of the level of quality that would be required in order to obtain an excellent/exceptional score. The individual vision can therefore be used to gage a score against and help to ensure a transparent and consistent approach is applied to qualitative assessments across the borough. It must be noted that all elements of the vision may not be appropriate to all spaces e.g. a small informal play area that does not have bins or a mix of planting should not be marked down because these facilities may not be appropriate given its scale. Scores should therefore be relative to the scale of the space being assessed.

<b>A WELCOMING PLACE</b>	
1. Welcoming	Upon approaching - An inviting space the first impression of which is clean and tidy with a perceived high level of safety and security.
<b>2. Good &amp; Safe Access</b>	
	An entrance of an appropriate size which is easy to find and clearly marked
3. Signage	Clear, meaningful signage which is appropriately placed and free from vandalism
4. Equal Access for All	The space can be accessed safely and freely by people of all ages and abilities
<b>HEALTHY, SAFE AND SECURE</b>	
5. Safe Equipment and Facilities	Equipped play facilities are in good working order and can be operated safely without endangering the user or others
6. Personal Security	Good sense of feeling secure achieved through the space being open/supervised, well maintained and free from vandalism, well lit etc
7. Dog Fouling	No evidence of dog fouling and an appropriate quantity of dog litter bins and signage.
8. Appropriate provision of facilities	Good range of facilities appropriate to the scale of the space. Appropriate number and type of seating, lighting, toilets etc.
9. Quality of Facilities	Facilities well-maintained, clean, free from vandalism and in good working order
<b>CLEAN AND WELL MAINTAINED</b>	
10. Litter and Waste Management	Space evidently clean and tidy with numerous bins and in good condition.
11. Grounds Maintenance and Horticulture	Numerous planting with an appropriate mix maintained to a good standard. Full grass cover of a good colour and cleanly cut.
12. Building and Infrastructure Maintenance	Paths should be constructed from suitable materials, level with clearly defined edges and free from weeds and potholes i.e. well maintained. Infrastructure should be well maintained, safe to use and clean and tidy as to not distract from the visual appearance of the space.
13. Equipment Maintenance	Equipment is in good working order, well-maintained and free from vandalism and graffiti.



## **Appendix 2: Design Guidance Notes for Children's Equipped Play Areas**



## **Appendix 2**

### **Design Guidance Notes for Children's Equipped Play Areas**

These guidelines apply to the three main types of children's equipped play areas listed below;

- The local area for play (LAP)
- The local equipped area for play (LEAP)
- The neighbourhood equipped area for play (NEAP).

All schemes need to be submitted to the authority for approval prior to any work starting on site.

#### **Specific Guidelines for the design of LAPs**

The LAP is designed to provide a small, safe, unsupervised, open space specifically designated for play activities for young children (3 to 5 year olds) close to where they live.

The catchment area should be within 100m walking distance (60 metres straight line).

The core space should be 100 square metres minimum. A buffer zone of 5 metres minimum depth should normally separates the activity zone and the forward-most part of the nearest dwelling that faces the LAP. Gable end or other exposed walls of properties should be protected from use for ball games.

#### **Specific Guidelines for the design of LEAPs**

The LEAP is designed to provide an unsupervised play area for children of early school age. It should primarily be equipped for accompanied children between 3 and 7 years of age but also include some play provision for supervised younger children and unsupervised older children.

The catchment area should be within 400m walking distance (240 metres straight line).

The core space should be 400 square metres minimum. A buffer zone of 10 metres minimum depth should normally separate the activity zone and the boundary of the nearest property containing a dwelling. A minimum of 20 metres should normally be provided between the activity zone and the habitable room façade of the nearest dwelling. Where these minimum distances apply, careful consideration needs to be given to:

1. The design of any means of enclosure, planting scheme and/or other physical features on the boundary of the residential property.
2. The siting of features including equipment within the activity zone, to preclude opportunities for overlooking nearby gardens or dwellings, potential loss of privacy and creation of nuisance.

#### **Specific Guidelines for the design of NEAPs**

The NEAP should be designed to provide an unsupervised recreational space, to serve a substantial residential development. It should primarily be equipped for older children (7 – 11 year olds) but also include some play provision for younger children and also sporting and socialising facilities for early teens.

The catchment area should be within 1000m walking distance (600 metres straight line).

The core space should be 1000 square metres minimum. A buffer zone of 30 metres minimum depth should normally separate the activity zone and the boundary of the nearest property containing a dwelling. Where these minimum distances apply, careful consideration needs to be given to:

1. The design of any means of enclosure, planting scheme and/or other physical features on the boundary of the residential property.
2. The siting of equipment and features within the activity zone, to preclude opportunities for overlooking nearby gardens and dwellings and potential loss of privacy and creation of nuisance.

### **General Guidelines for the design of all Equipped Play Areas (LAPs/LEAPs/NEAPs)**

Consideration should be given to children with special needs. The access to and around the site should cater for all abilities and disabilities and the equipment should provide play opportunities all under the scope and terms of the Disability Discrimination Act 2004. These provisions must be clearly demonstrated in the design and description.

A final Post-Installation Inspection Report (provided by a registered and certificated PRII inspector qualified to an "Annual" level) will be delivered and will form part of the Health & Safety File. Compliance with BS EN 1176:2008 must be certified. Non-compliance is not acceptable in any form. If European equipment is TUV certified, it will also be BS EN 1176:2008 certified. Non-compliant equipment will be immediately removed from the site at the contractor's expense and a suitable substitute agreed.

Warranties shall be provided for all materials upon completion of the works. They shall be named, signed and dated and include:

- Concrete – 25 years
- HDPE Geomembrane – 5 years
- Paintwork/Galvanising – 5 years
- Safety Surface – 5 years
- Steel – 25 years
- Timber - 15 years

All equipment must be metal, galvanised and powder coated as appropriate and in full compliance with BS EN 1176/77:2008.

All equipment shall have a coloured Ethylene Propylene Diene-Modified (EDPM) safety surface with pre-cast concrete edging surround.

Beyond the EDPM safety surface – all equipment shall be surrounded by an asphalt concrete footway with minimum width of 250mm to accommodate for future hard/soft landscape maintenance and mowing.

The play area shall be constructed with the surfacing laid to fall so that it drains to the surrounding landscaped area. Any resulting differences in level between the play area and surrounding landscape shall be addressed with imported topsoil, graded to suit and grass seeded or turfed.

The play area shall be fenced with a 1.2m high play area fence two number hydraulic self-closing dog gates of the IAE type (opening outwards) with 90 degree bump post.

The play area fence shall be installed within an asphalt concrete footway to accommodate future hard/soft landscape maintenance and mowing. The footway must extend beyond the fence by 250mm. The footway on the inside of the fence must have a minimum width of 250mm and will form part of the wider play area hardstanding.

Seating shall match that provided elsewhere within the park setting, or else provide green metal bench with a back and arm rests size and style to those on other Warrington Playgrounds. Dimensions; 47" Height, 71" Length, 11" Seat Width (including legs and arms wider). The benches shall be set with a seating height of 475mm. If the benches cannot be accommodated within the play area surface they shall be sited on a 3 x 1.5m asphalt concrete base and set to one side to allow pushchair/wheelchair access.

The contractor shall provide an enclosed bin of equal or approved similar those provided in other Warrington playgrounds.

At least one number standard play area sign (as approved) shall be provided on two number galvanised steel posts.

For reasons of safety the area should be of open aspect and overlooked from housing and so planting needs to combine this requirement with a pleasing horticultural environment.

The perimeter and buffer zone should be planted with low shrubs and ground cover, chosen for their colour and form but obviously avoiding any thorny or poisonous species.

Trees should be also incorporated within the planted area to provide additional shelter and amenity value, but without forming too dense a visual barrier.

An area may be simply laid to grass.

Landscaping plans shall be approved before execution.



## **Appendix 3: Quality Assessment Feedback Worksheet**



## APPENDIX 3

### Quality Assessment – Feedback Sheet

This table should be used to record the qualitative strengths and recommendations of each category or additional qualitative elements. These comments should be detailed enough to provide constructive information that can be used to aid the decision as to where qualitative improvements could be made.

Assessment Criteria	Strengths	Recommendations
A welcoming place		
Healthy, safe and secure		
Clean and well maintained		
Additional Comments		



## **Appendix 4: Summary of the scores of the Quality Assessments for the equipped play areas**



Site Ref	Site Name	Primary Classification	Equipped Play Type	Ward	Total Site Area	Quality Assessment										
						A Welcoming Place				Healthy Safe and Secure				Clean and Well Maintained		
						Welcoming	Good and Safe Access	Signage	Equal Access for All	Safe Equipment and Facilities	Personal Security	Litter and Waste Management	Grounds Maintenance and Horticulture	Total Site Score	Number of NA Criterion	Adjusted Max Score
1	Dallam Recreation Ground	Equipped Play	LEAP	Bewsey and Whitecross	0.029521122	5	6	N/A	8	8	6	6	N/A	69	2	100
12	Bewsey Park	Equipped Play	NEAP	Bewsey and Whitecross	0.118318582	9	9	6	8	10	9	9	N/A	98	1	110
23	Land between St. Albans School & Railway	Equipped Play	LEAP	Bewsey and Whitecross	0.03515767	8	8	N/A	8	7	9	7	N/A	78	2	100
28	Whitecross Park	Equipped Play	LEAP	Bewsey and Whitecross	0.049682874	7	7	7	8	7	7	6	N/A	78	1	110
29	Brooklands Hotel Bowling Green	Equipped Play	LAP	Bewsey and Whitecross	0.038942831	6	6	N/A	6	7	8	9	N/A	72	2	100
31	Sankey Green	Equipped Play	NEAP	Bewsey and Whitecross	0.277317631	6	8	7	6	8	9	8	N/A	84	1	110
34	Adj. St. Barnabas School, Bostock Street	Equipped Play	LAP	Bewsey and Whitecross	0.045204333	6	6	N/A	6	7	7	6	N/A	66	2	100
38	Sankey Recreation Ground	Equipped Play	LEAP	Bewsey and Whitecross	0.171756693	7	6	N/A	6	7	6	7	N/A	69	2	100
47	Bank Park	Equipped Play	NEAP	Bewsey and Whitecross	0.011036987	8	7	8	7	8	7	6	N/A	85	1	110
51	Causeway Park	Equipped Play	LEAP	Latcford West	0.091036987	7	7	7	8	7	8	8	N/A	81	1	110
58	Loushers Lane	Equipped Play	LAP	Latcford East	0.079278502	6	6	N/A	6	7	7	8	N/A	66	2	100
66	Morley Common	Equipped Play	LAP	Latcford West	0.0561787	7	6	7	6	7	7	6	N/A	74	1	110
68	Saracens Head Public House Bowling Green	Equipped Play	LAP	Latcford West	0.020142212	6	7	N/A	7	8	9	7	N/A	74	2	100
79	Victoria Park	Equipped Play	NEAP	Latcford East	0.575808324	8	8	7	8	7	8	8	N/A	84	1	110
85	Westy Recreation Ground	Equipped Play	LEAP	Latcford East	0.2726	6	7	6	7	7	7	4	N/A	69	1	110
87	Dover Road/Denver Road	Equipped Play	LAP	Latcford East	0.06944	6	6	N/A	6	7	8	6	N/A	66	2	100
94	Admiral Street Play Area	Equipped Play	LEAP	Fairfield and Howley	0.153929327	6	7	7	8	7	8	9	N/A	81	1	110
96	Red Bonk Park	Equipped Play	NEAP	Fairfield and Howley	0.071270528	7	8	8	9	8	9	9	N/A	91	1	110
98	Green Bonk Park	Equipped Play	LAP	Fairfield and Howley	0.038103171	7	7	N/A	6	7	7	8	N/A	72	2	100
101	St Elphin's Park	Equipped Play	NEAP	Rixton and Woolston	0.02823	8	7	9	7	8	9	9	N/A	91	1	110
122	Brudie Park	Equipped Play	LAP	Rixton and Woolston	0.079113649	8	8	N/A	7	8	8	8	N/A	77	2	100
126	Queens Crescent	Equipped Play	LAP	Poulton South	0.039555553	6	7	N/A	7	8	7	7	N/A	72	2	100
128	Larkfield Avenue Park	Equipped Play	LAP	Poulton South	0.132339999	6	7	N/A	6	6	5	6	N/A	61	2	100
134	Woolston Park	Equipped Play	NEAP	Rixton and Woolston	0.150498031	7	7	N/A	6	7	8	8	N/A	72	1	110
136	Woolston Playing Fields	Equipped Play	LAP	Rixton and Woolston	0.008031799	7	6	N/A	6	6	6	7	N/A	64	2	100
137	Poulton Crescent Playground	Equipped Play	LAP	Poulton South	0.087921312	7	6	N/A	6	7	8	6	N/A	64	2	100
172	Brickfields Park	Equipped Play	LEAP	Fairfield and Howley	0.074027924	7	7	7	6	7	6	8	N/A	75	1	110
175	St. Peter's Park	Equipped Play	LEAP	Fairfield and Howley	0.14047075056	8	8	7	8	7	6	5	N/A	83	1	110
193	Orford Park	Equipped Play	NEAP	Orford	0.46374228	9	8	9	8	8	9	10	N/A	95	1	110
210	Capethorne Road	Equipped Play	LAP	Poplars and Hulme	0.061930979	6	6	N/A	6	6	7	6	N/A	65	2	100
211	Capethorne Road/Hilfold Road	Equipped Play	LEAP	Poulton North	0.059719368	8	7	7	9	7	9	8	N/A	88	1	110
217	St. Margaret's Court	Equipped Play	LAP	Poulton North	0.05970396	6	7	N/A	7	8	7	8	N/A	74	2	100
243	Peel Hall Park	Equipped Play	NEAP	Poplars and Hulme	0.1945	7	8	7	8	5	8	6	N/A	78	1	110
250	Orford Community Centre	Equipped Play	LAP	Poplars and Hulme	0.039889366	7	6	N/A	6	7	7	7	N/A	69	2	100
260	Derisham Avenue	Equipped Play	LAP	Orford	0.02774935	6	6	N/A	6	8	7	7	N/A	68	2	100
262	Longford Community Centre	Equipped Play	NEAP	Orford	0.134388776	7	7	N/A	7	8	7	7	N/A	83	1	110
268	Ulverston Avenue	Equipped Play	LAP	Poplars and Hulme	0.009969546	6	7	N/A	6	7	8	8	N/A	67	2	100
280	Enfield Hall Park	Equipped Play	LEAP	Poulton North	0.276212593	7	7	N/A	7	8	7	7	N/A	71	2	100
286	Cottam Drive	Equipped Play	LAP	Poulton North	0.038181507	6	6	N/A	6	5	6	5	N/A	55	2	100
289	Aspinall Close	Equipped Play	LAP	Poulton North	0.011088472	7	7	N/A	6	7	8	6	N/A	69	2	100
298	Canada Close	Equipped Play	LAP	Poulton North	0.01726244	6	6	N/A	6	5	7	5	N/A	61	2	100
300	Parkfields Park	Equipped Play	LAP	Poulton North	0.025570263	7	7	N/A	7	8	6	6	N/A	69	2	100
301	Land Adjacent to Padgate House	Equipped Play	LEAP	Poulton North	0.126886608	6	6	6	7	5	7	6	N/A	71	1	110
305	Longbarn Park	Equipped Play	LAP	Birchwood	0.06554523	7	6	N/A	6	6	7	7	N/A	66	2	100
362	Nelson Road	Equipped Play	LAP	Birchwood	0.018604616	6	6	N/A	6	6	7	7	N/A	65	2	100
364	Centurion Close	Equipped Play	LAP	Birchwood	0.099650078	6	6	N/A	6	6	7	6	N/A	60	2	100
383	Marina Avenue	Equipped Play	LEAP	Great Sankey South	0.091907292	8	7	N/A	7	8	8	8	N/A	79	2	100
394	Locking Stumps Park (New)	Equipped Play	LEAP	Birchwood	0.028248005	7	7	N/A	7	8	7	7	N/A	70	2	100
395	Birchwood Park	Equipped Play	LAP	Birchwood	0.027848317	7	7	N/A	7	8	7	7	N/A	76	1	110
416	Wroxham Road Y.A.C. & Cromdale Community Centre	Equipped Play	NEAP	Great Sankey South	0.151870157	6	8	N/A	7	7	8	8	N/A	82	1	110
425	Tankersley Grove	Equipped Play	LAP	Great Sankey South	0.011611262	7	7	N/A	7	6	5	6	N/A	64	2	100
436	Almer Drive/Dorchester Road	Equipped Play	NEAP	Great Sankey South	0.122639945	8	7	7	8	8	9	8	N/A	86	1	110
439	Hood Lane	Equipped Play	LAP	Great Sankey South	0.0282899209	6	6	N/A	6</td							

Site Ref	Site Name	Primary Classification	Equipped Play Type	Ward	Quality Assessment										Score Calculation			
					Welcoming	Good and Safe Access	Signage	Equal Access for All	Safe Equipment and Facilities	Personal Security	Litter and Waste Management	Grounds Maintenance	Horticulture	Building and Infrastructure Maintenance	Total Site Score	Number of NA Criterion	Adjusted Max Score	Quality Score (out of 100)
620	Elizabeth Park	Equipped Play	LEAP	Grappenhall and Thelwall	0.129319002	8	7	N/A	6	7	6	7	7	N/A	72	2	100	72.00
624	Stratham Park	Equipped Play	LEAP	Lynn	0.04100028	8	7	N/A	7	8	8	9	8	N/A	78	2	100	78.00
628	Ridgeway Grundy Memorial Park	Equipped Play	LEAP	Lynn	0.13186452	8	8	7	8	7	8	9	8	N/A	87	1	110	79.09
647	Sandy Lane	Equipped Play	LEAP	Lynn	0.047996538	7	6	6	8	7	8	8	8	N/A	80	1	110	72.73
650	Massey Brook Lane	Equipped Play	LAP	Burtonwood and Winwick	0.05469802	7	6	N/A	6	7	6	8	7	N/A	70	2	100	70.00
653	Winwick Leisure Centre	Equipped Play	NEAP	Culcheth, Glazeburn and Croft	0.090225165	8	8	8	10	8	10	9	9	N/A	95	1	110	86.36
654	Smithy Lane/Lords Street	Equipped Play	NEAP	Culcheth, Glazeburn and Croft	0.067644223	7	7	5	7	9	9	7	7	N/A	80	1	110	72.73
671	Common Lane/Warrington Road	Equipped Play	LEAP	Culcheth, Glazeburn and Croft	0.069352396	7	8	N/A	7	8	8	8	8	N/A	77	2	100	77.00
683	Warrington Road/Eden Avenue	Equipped Play	LEAP	Rixton and Woolston	0.049997037	7	7	7	8	8	9	8	9	N/A	87	1	110	79.09
690	Birch Road	Equipped Play	LEAP	Burtonwood and Winwick	0.098442015	7	7	8	7	8	8	7	8	N/A	83	1	110	75.45
700	Gorsev Lane/Clay Lane	Equipped Play	LEAP	Burtonwood and Winwick	0.056352023	8	8	7	8	7	8	7	7	N/A	83	1	110	75.45
701	Sherbourne Way/Chapel Lane	Equipped Play	LEAP	Burtonwood and Winwick	0.078380384	7	7	N/A	7	7	8	8	8	N/A	75	2	100	75.00
719	Penny Lane	Equipped Play	LAP	Westbrook	0.084779994	7	7	7	8	6	8	9	7	N/A	81	1	110	73.64
725	Sankey Valley Park Calands	Equipped Play	LAP	Rixton and Woolston	0.031615941	7	8	6	7	8	8	7	8	N/A	82	1	110	74.55
735	Land at Wiltshire Close	Equipped Play	LAP	Rixton and Woolston	0.016784713	7	8	N/A	7	8	6	7	8	N/A	74	2	100	74.00
736	Land Off Lincoln Close/Timbersome Gardens	Equipped Play	LAP	Penketh and Cuerdley	0.014568331	7	8	N/A	7	8	8	7	8	N/A	76	2	100	76.00
750	Land Off Hadleigh Close (East)	Equipped Play	LAP	Great Sankey South	0.05614714	8	7	N/A	7	7	6	7	7	N/A	72	2	100	72.00
780	Sankey Valley Park Waterways	Equipped Play	LEAP	Whittle Hall	0.04564933	8	8	7	8	7	8	9	9	N/A	88	1	110	80.00
801	Thorntondale Drive Park	Equipped Play	LAP	Fairfield and Howley	0.086102925	7	7	N/A	7	7	8	8	7	N/A	69	2	100	69.00
844	Gorsey Lane/Clay Lane	Equipped Play	LAP	Burtonwood and Winwick	0.010171368	8	7	N/A	6	8	8	8	8	N/A	76	2	100	76.00
853	Crompton Drive Play Area	Equipped Play	LEAP	Burtonwood and Winwick	0.27920698	8	7	N/A	7	8	8	8	8	N/A	84	1	110	76.36
855	Winwick Park No 1 (West)	Equipped Play	LAP	Burtonwood and Winwick	0.01845805	7	8	N/A	7	8	9	7	7	N/A	76	2	100	76.00
856	Masefield Drive Equipped Play Area	Equipped Play	LAP	Burtonwood and Winwick	0.009929122	8	7	N/A	7	8	9	9	9	N/A	78	2	100	78.00
857	Fleming Drive Equipped Play Area	Equipped Play	LAP	Burtonwood and Winwick	0.012352436	8	7	N/A	7	8	7	7	8	N/A	74	2	100	74.00
858	Winwick Park No2 Play Area (East)	Equipped Play	LAP	Whittle Hall	0.024699174	8	8	7	8	7	8	9	8	N/A	87	1	110	79.09
860	Washington Drive Play Area	Equipped Play	LAP	Burtonwood and Winwick	0.012972845	7	7	N/A	7	8	8	8	8	N/A	76	2	100	76.00
861	Chesterton Drive Play Area (adj No.14)	Equipped Play	LEAP	Burtonwood and Winwick	0.037179685	8	8	N/A	8	8	9	9	9	N/A	83	2	100	83.00
870	Brentland Drive Play Area & Linkway	Equipped Play	LEAP	Appleton	0.079645174	8	8	N/A	8	8	9	9	9	N/A	80	2	100	80.00
872	Grappenhall Heys Community Primary School	Equipped Play	LAP	Burtonwood and Winwick	0.004346793	8	8	N/A	7	8	9	9	9	N/A	79	2	100	79.00
891	Browning Drive Play Area	Equipped Play	LAP	Lynn	0.00280203	7	7	N/A	6	7	7	9	9	N/A	69	2	100	69.00
892	Broomedge Park	Equipped Play	LAP	Great Sankey North	0.023820939	7	7	N/A	7	8	8	8	8	N/A	82	1	110	74.55
893	Shanklin Close Play Area	Equipped Play	LEAP	Poplars and Hulme	0.079115341	7	7	N/A	6	8	9	9	9	N/A	83	1	110	75.45
900	Southwold Crescent Play Area	Equipped Play	LAP	Great Sankey North	0.012400768	8	8	N/A	7	8	9	9	9	N/A	80	2	100	80.00
901	Norley Close Play Area	Equipped Play	LAP	Bewsey and Whitedross	0.010643375	6	6	N/A	6	7	8	8	8	N/A	70	2	100	70.00
904	Sankey NW Park	Equipped Play	LAP	Great Sankey North	0.006922734	7	8	N/A	7	7	7	7	7	N/A	71	2	100	71.00
905	Alcobury Close	Equipped Play	LAP	Great Sankey North	0.006687144	7	7	N/A	6	6	6	6	6	N/A	63	2	100	63.00
914	Carrington Wire Square, Monks Place	Equipped Play	LAP	Fairfield and Howley	0.02402859	9	8	N/A	8	9	9	9	9	N/A	87	2	100	87.00
918	Montgomery Close	Equipped Play	LAP	Whittle Hall	0.038648922	8	8	N/A	7	8	8	9	9	N/A	82	2	100	82.00
919	Houston Gardens West	Equipped Play	LAP	Whittle Hall	0.042259791	8	8	N/A	7	8	8	9	9	N/A	81	2	100	81.00
920	Houston Gardens East	Equipped Play	LAP	Whittle Hall	0.010716823	8	8	N/A	7	8	9	9	9	N/A	81	2	100	81.00
926	Chicago Place	Equipped Play	LAP	Whittle Hall	0.041264444	8	8	N/A	7	7	8	9	9	N/A	88	1	110	80.00
927	Dakota Drive	Equipped Play	LAP	Whittle Hall	0.050172588	9	8	N/A	8	9	9	9	9	N/A	88	1	110	80.00
948	Monks Hall EP	Equipped Play	LEAP	Bewsey and Whitedross	0.334223222	8	8	N/A	8	7	8	9	9	N/A	77	2	100	77.00
950	Massey Avenue Playground	Equipped Play	LEAP	Fairfield and Howley	0.087245979	7	7	N/A	7	7	8	9	9	N/A	82	1	110	74.55
963	Chelsea Gardens	Equipped Play	LEAP	Great Sankey South	0.02723024	8	9	N/A	8	9	9	9	9	N/A	85	2	100	85.00
965	Manhattan Gardens (East)	Equipped Play	LAP	Whittle Hall	0.00995549	8	8	N/A	7	7	8	9	9	N/A	80	2	100	80.00
966	Wellcroft Gardens	Equipped Play	LAP	Lynn														





Open Space Audit 2015

**WARRINGTON**  
Borough Council

