

Warrington Playing Pitch Strategy Action Plan

Site ID	Site Name	Analysis area	Sport	Management	Status type	Status Summary	Recommended actions	Partners	Hierarchy Tier	Priority	Aim
1	Appleton Cricket Club	South	Cricket	Sports Club	Existing	1 pitch, 10 grass wickets of good quality. Is overplayed by 1 match per season. The outfield is undulating and the pitch can suffer from waterlogging.	Ensure appropriate maintenance in order to maintain pitch quality. Explore opportunities to introduce an artificial pitch wicket to increase the capacity.	ECB	Local Site	Low	Protect & Enhance
2	Appleton Thorn Playing Fields (New Lane Playing Fields)	South	Football	Local Authority	Existing	2 adult pitches, both poor quality and overplayed. Poor quality changing rooms and limited access	Investigate options to improve quality in order to address overplay and build future capacity. Explore feasibility of introducing AGP provision to the site.	FA WBC	Key Centre	High	Enhance
			Rugby Union			Two senior pitches of poor (M0/D0) quality currently played to capacity. Poor quality changing rooms and limited access.	Investigate options to improve quality.	RFU WBC			
3	Appleton Thorn Primary School	South	Football	School	Existing	1 mini 7 v 7 pitch of standard quality and although available for community use there is no recorded use	Retain pitches for school use, potential site for potential community use if needed.	WBC	Local Site	Low	Protect
4	Bank Park	Central		Local Authority	Disused	Currently open space, with no playing pitch provision.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC	Local Site	Low	Protect
5	Bank Quay Sports Club	Central	AGP	Commercial Management	Existing	Half size, floodlit 3G pitch of standard quality.	Maximise use for small sided social football and to accommodate training demand. Encourage provider to have a sinking fund in place to service and upgrade pitch.	Commercial Manager	Local Site	Low	Protect & Enhance
6	Barrow Hall Lane Primary School	West	Football	School	Disused	Old school site closed in August 2016 with school relocating to new premises and replacement pitch provision provided. Site being transferred to Great Sankey High School/ Omega MAAT. See site ID 22 for more information.	No actions	School	Local Site	Low	Protect
7	Beamont Collegiate Academy	Central	Football & Rugby League	School	Existing	2 adult / senior pitches, dual marked for both Football and Rugby League use. Rated standard quality for Football and Poor quality for Rugby League.	Retain pitches for school use. Investigate options to improve quality and support club development.	FA Orford FC School	Local Site	Low	Protect & Enhance
8	Bennetts Recreation Ground	East	Football	Parish Council	Existing	4 adult pitches of standard quality with the potential to accommodate additional capacity of 1.5 MES per week.	Ensure quality of pitches in maintained for current use.	WBC FA	Local Site	Low	Protect
9	Bewsey Lodge Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
10	Birchwood C of E Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
11	Birchwood Academy Trust	East	Cricket	School	Existing	Standalone non-turf pitch located between grass pitches. Poor quality due to damage caused by improper use/ lack of maintenance	Seek to repair and resurface the non-turf pitch to cater for school use if needed.	ECB School	Local Site	Medium	Protect & Enhance
			Football			3 adult pitches of standard quality. Currently played to capacity.	Maintain pitches to current standards to ensure play can continue at current site.	FA School			
			Rugby League			One senior pitch of standard quality with no recorded community use.	Retain pitches for school use, potential site for potential community use if needed.	RFL School			
			AGP			1 full sized AGP 3G pitch with flood lights. Recently condemned.	Carry out feasibility study to bring pitch back into us. Ensure appropriate maintenance and management arrangements are in place.	FA LiveWire School			

12	Birchwood Forest Park	East	Football	Local Authority	Existing	1 adult pitch, 1 youth 9v9 pitch, 2 x mini 7v7 and 2 mini 5v5 pitches. All of poor quality. Adult pitch currently played to capacity. Youth pitch overplayed by 1 match session per week. Whilst mini 7v7 pitch has peak time availability of 1 match session and mini 5v5 has peak time availability of 0.5 MES. Changing rooms require upgrading	Investigate options to improve quality. Retain spare capacity on mini pitches until quality can be improved. If pitch quality improved, potential site to meet future increased demand. Explore feasibility of introducing AGP provision to the site.	WBC	Key Centre	High	Protect & Enhance
13	Bridgewater High School (Lower)	South	Cricket	School	Existing	1 senior pitch of standard quality with no recorded community use, currently played to capacity. Recorded community use.	Ensure quality of wicket is maintained for current use.	Appleton CC ECB School	Local Site	Low	Protect
			Football			1 adults and 1 youth 9v9 pitch of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School			
			Rugby Union			One senior pitch of poor (M0/D0) quality currently played to capacity with no recorded community use.	Retain pitches for school use, potential site for community use if needed.	School			
14	Bridgewater High School (Upper)	South	Football	School	Existing	2 adult and 1 youth 11v11 pitches of standard quality. Not available for community use.	Retain pitches for school use, potential site for community use if needed. Consider site developments alongside Site ID 17.	FA School	Local Site	Low	Protect
			Rugby Union			Two senior pitches and one mini pitch of poor (M0/D0) quality. Small amount of community use by Warrington RFU.	Retain pitches for school use, potential site for community use if needed.	RFU School			
15	Brook Acre Primary School	East	Football	School/College/University	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	FA WBC	Local Site	Low	Protect
16	Broomfields Junior School	South	Football	School/College/University	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	FA WBC	Local Site	Low	Protect
17	Broomfields Leisure Centre	South	AGP	Community Interest Company	Existing	Full size, sand dressed floodlit AGP of poor quality. 100% usage as football	Explore feasibility of introducing AGP provision to the site. Consider pitch for conversation to 3G to accommodate training demand and competitive matchplay. Consider site developments alongside Site ID14.	FA LiveWire	Key Centre	High	Enhance
18	Bruche Primary School	East	Football	School/College/University	Existing	1 mini 7v7 pitch of poor quality. School and community use. Potential spare capacity for 0.5 MES per week.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
19	Burtonwood Primary School	West	Football	School/College/University	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
20	Callands Primary School	West	Football	School/College/University	Existing	1 mini 5v5 and 1 mini 7v7, both of poor quality. Mini 5v5 is overplayed by 1.5 MES per week. 7v7v has spare capacity of 1 MES per week.	Retain pitches for school use and explore options to improve pitch quality to address overplay. Site reconfiguration may be appropriate.	School WBC	Local Site	Low	Protect & Enhance
21	Cantilever Park	South	Football	Sports Club	Existing	1 adult pitch of good quality. Not available for community use.	Retain pitch for use by semi professional club	Club	Local Site	Low	Protect
21	Cantilever Park	South	AGP	Sports Club	Existing	Half size, floodlit 3G pitch of standard quality.	Maximise use for small sided social football and to accommodate training demand. Ensure sinking fund is in place for future refurbishment	Commercial Manager	Local Site	Low	Protect & Enhance
22	Barrow Hall Primary School	West	Football	School	New	New school site. Part of the new development includes provision of 2 junior grass football pitches, provided to accommodate loss of pitches as part of school expansion across West Warrington. These pitches will not be available for use until 2018.	Ensure pitches provided are of agreed quality before handover. Ensure appropriate maintenance in order to maintain pitch quality. Establish community use and ensure community use agreement is in place for future use.	School WBC	Local Site	Medium	Protect

23	Poplars Park	Central	Football	Local Authority	Existing	1 youth 11v11 pitch of poor quality, with no recorded community use. Peak time capacity of 1 MES per week. No ancilliary facilities.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC	Local Site	Low	Protect
24	Cardinal Newman High School	South	Cricket	School	Existing	Standalone non-turf pitch located between grass pitches. Poor quality due to damage caused by improper use/ lack of maintenance	Seek to repair and resurface the non-turf pitch to cater for school use if needed.	ECB School	Local Site	Low	Protect & Enhance
			AGP			1 full sized AGP sand filled pitch of standard quality but not floodlit. Not available for community use.	Consider floodlighting to extend access for football and hockey usage.	EH FA School			
			Football			2 adult pitches of standard quality. Unavailable for community use	Maintain pitch for school use, potential site for future community use if needed.	FA School			
			Rugby League			One senior pitch of standard quality. Unavailable for community use.	Retain pitches for school use, potential site for potential community use if needed.	RFL School			
25	Carlsberg Tetley Sports and Social Club	Central	Football	Commercial Management	Existing	1 adult pitch - access to carry out NTA was not provided. Therefore, pitch quality assumed as standard. Overplayed by 0.5 MES.	No actions	Commercial Manager	Local Site	Low	Protect
26	Chaigley School	South	Football	School	Existing	1 adult standard quality. Currently played to capacity. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site. Ensure community user agreement is in place for future use.	School	Local Site	Low	Protect
27	Chapelford Primary School	West	Football	School	Existing	1 mini 7v7 pitch of standard quality. Recorded community use. No peak time capacity.	Upgrade pitch to agreed standard following building work on site and then ensure adequate maintenance so play can continue at current site.	School	Local Site	Medium	Protect
28	Cherry Tree Primary School	South	Football	School	Existing	1 mini 7v7 pitch of poor quality. Currently overplayed by 2 MES per week.	Investigate options to improve quality to address overplay. Ensure community use agreement is in place for future use.	School	Local Site	Low	Protect & Enhance
29	Christ Church Primary School	East	Football	School	Existing	3 mini 7v7 pitches of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
30	Cinnamon Brow Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
31	Crab Lane Playing Field	East	Football	Local Authority	Existing	2 mini 5v5, 2 mini 7v7, 2 youth 9v9 and 1 youth 11v11. All of poor quality. Mini 5v5 pitches and mini 7v7 pitches have capacity of 2.5 MES. The Youth 9v9 has 0.5 MES per week capacity and the youth 11v11 is played to capacity. Recorded community use. Limited car parking and changing rooms coming to the end of their lifespan.	Retain spare capacity, and explore options to improve maintenance in order to help increase quality of provision. Explore options to improve ancilliary facilities. Explore feasibility of introducing AGP provision to the site.	FA WBC	Key Centre	High	Protect & Enhance
32	Croft Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
33	Culcheth Community Campus	East	Cricket	School	Existing	School have previously had cricket pitch marked out on school playing fields. They did not however during the assessment period.	Re-introduce pitch for school use if needed.	School	Local Site	Low	Protect
			Football	Community Interest Company		2 adult pitches, 2 youth 9v9 pitches and 1 mini 7v7 pitches all of good quality. Adult pitchh as 0.5 MES per week capacity, youth 9v9 has 2 MES capacity and mini 7v7 has 5 MES capacity. Recorded community use.	Retain pitches for school use, potential site for community use if needed.	LiveWire School			
			AGP			Full size, sand filled floodlit AGP of standard quality. Predominantly used for football training with sporadic use for hockey matches. Potential capacity for additional hockey matches.	Retain pitch as sand filled AGP to support development of hockey. Ensure a mechanism is in place for future sustainability, such as a sinking fund.				

			Rugby League	School		One senior pitch of standard quality with limited capacity (0.25 matches per week). Recorded community use.	Retain pitches for school use, potential site for potential community use if needed.	RFL School			
34	Culcheth Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
35	Culcheth Sports Club	East	Cricket	Sports Club	Existing	Standalone non-turf pitch located between grass football pitches. Poor quality due to damage caused by improper use/ lack of maintenance. No community use.	Can lose the wicket. The site however needs to be retained.	Sports Club	Local Site	Low	Protect
			Football			2 adult pitches of good quality. 0.5 MES per week capacity. Recorded community use.	Ensure maintenance of pitch continues in order that pitch can sustain play.	Sports Club			
36	Dakota Park	West	Cricket	Local Authority	Existing	Standalone non-turf pitch located between grass football pitches in public park. Recently refurbished following damage caused by anti-social behaviour.	Ensure appropriate maintenance in order to maintain pitch for informal recreational community play.	WBC	Local Site	Low	Protect
			Football			1 adult pitch and 1 mini 5v5 pitch of standard quality. Played to capacity during peak periods.	Ensure maintenance of pitch continues in order that pitch can sustain play.	WBC			
37	Dallam Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site		Protect
38	Dallam Recreation Ground	Central	Football	Local Authority	Existing	Football pitches no longer available at site.	Site confirmed as dedicated for rugby league provision. Investigate options to improve quality in order to address overplay and build future capacity. Also consider transferring training to alternative venues to address overplay. Increase car park capacity. Explore feasibility of introducing AGP provision to the site.	WBC RFL	Local Site	Medium	Enhance
			Rugby League	Local Authority	Existing	Two senior pitches of standard quality. The pitches are currently being overused by 1.25 matches per week in total.					
39	Doe Green Recreation Ground	West	Football	Local Authority	Existing	1 adult pitch and 1 mini 5v5 pitch of poor quality. Adult pitch played to capacity during peak periods. Mini 5v5 pitch has 1 MES during peak period.	Investigate options to improve quality. Retain spare capacity on mini pitches until quality can be improved. If pitch quality improved, potential site to meet future increased demand.	WBC	Local Site	Medium	Protect & Enhance
40	Elizabeth Park	South	Football	Local Authority	Existing	1 adult pitch and 2 mini 5v5 pitches of poor quality. Adult pitch has 0.5 MES spare capacity and mini 5v5 pitches have 2 MES capacity.	Investigate options to improve quality. Retain spare capacity on mini pitches until quality can be improved. If pitch quality improved, potential site to meet future increased demand.	WBC	Local Site	Medium	Protect & Enhance
41	Euclid Avenue Playing Field	South		Parish Council	Existing	Playing field used for informal recreational use only.	Retain site for informal recreational use.	WBC	Local Site	Low	Protect
42	Evelyn St Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
43	Fir Tree Lane	West	Rugby League	Parish Council	Existing	Two senior pitches and one junior pitch of standard quality. The pitch types have spare capacity for matches of 1.75 and 0.5 per week respectively.	Review how spare capacity can be utilised to address current overplay and/ or provide for future demand.	Burtonwood Parish Council RFL	Local Site	Low	Protect
44	Glazebury C of E Primary School	South	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site		Protect
45	Glazebury Cricket Club	East	Cricket	Trust	Existing	Standard quality square with eight wickets. Condition of outfield is reported as deteriorating. Can accommodate an additional 17 matches per season with availability on Sundays and week day evenings to support junior cricket.	Improve square quality through increased maintenance, repair and preparatory work. Maximise use of capacity available at non-peak times to accommodate additional short format or junior cricket.	ECB	Local Site	Low	Protect & Enhance
46	Gorse Covert Primary School	East	Football	School	Existing	2 mini 7v7 pitches of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect

47	Gorsey Recreation Ground	West	Football	Parish Council	Existing	1 adult pitch and 1 youth 9v9 pitch of poor quality. Adult pitch overplayed by 0.5 MES. Youth 9v9 pitch has 1 MES spare capacity.	Investigate options to improve quality to address overplay on adult pitch. Retain spare capacity on youth pitch until quality can be improved. If pitch quality improved, potential site to meet future increased demand.	Burtonwood Parish Council	Local Site	Low	Protect & Enhance
48	Grange Sports & Social Club	South	Cricket	Sports Club	Existing	Standard quality square with eight wickets, located between grass football pitches. Can accommodate an additional 16 matches per season but no peak time availability due to dual use with football.	Sustain and improve pitch quality through rigorous maintenance and preparatory work as required.	Sports Club ECB	Local Site	Low	Protect
						1 adult pitch of good quality. Overplayed by 1 MES.	Review current levels of play to maintain pitch quality.	Sports Club			
49	Grappenhall Cricket Club	South	Cricket	Sports Club	Existing	One senior, good quality pitch with ten grass wickets. Overplayed by 40 matches per season.	Continue with existing maintenance to maintain quality. Investigate options to increase capacity to address overplay, including increasing the number of wickets on the square and introducing a non-turf wicket.	Cricket Club ECB	Local Site	Low	Protect & Enhance
50	Grappenhall Hall School	South	Cricket	Local Authority	Disused	Became disused in 2015 upon school closure	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC	Local Site	Low	
			Football								
51	Grappenhall Heys Primary School	South	Football	School	Existing	2 mini 7v7 pitches of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
52	Grappenhall Village Sports Club	South	Football	Sports Club	Existing	3 adult pitches, 2 youth 9v9 pitches and 1 mini 7v7 pitch all of good quality. Only 0.5 MES per week capacity on youth 9v9 pitches, all other pitches played to capacity.	Ensure maintenance of pitch continues in order that pitch can sustain play. Explore feasibility of introducing AGP provision to the site.	FA Sports Club	Key Centre	Medium	Protect & Provide
53	Great Sankey High School	West	Cricket	School	Existing	Standalone non-turf pitch located between grass pitches. Poor quality due to damage caused by improper use/ lack of maintenance	Seek to repair and resurface the non-turf pitch to cater for school use if needed.	ECB School	Local Site	Low	Protect
			Football			2 adult pitches of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed. Consider site developments alongside Site ID 54 & 55.	School			
54	Great Sankey Leisure Centre	West	AGP	Community Interest Company	Existing	Good quality full sized 3G pitch with floodlighting. FIFA one star certified and on FA Pitch Register. Considered to be operating at capacity.	Sustain pitch quality through continued standard of maintenance. Ensure a mechanism is in place for future sustainability, such as a sinking fund. Consider site developments alongside Site ID 53 & 55. Explore feasibility of introducing AGP provision to the site.	FA LiveWire	Key Centre	Low	Protect
55	Great Sankey Parish Playing Fields	West	Football	Parish Council	Existing	1 adult pitch of poor quality. No recorded community use. No ancillary facilities.	Investigate options to improve quality to provide useable capacity in the area. Explore opportunities to access ancillary facilities at adjacent Great Sankey Neighbourhood Hub project to improve provision. Consider site developments alongside Site ID 55 & 56	Great Sankey Parish Council FA	Local Site	Low	Enhance
			Rugby League			One senior pitch of poor quality. No recorded community use. No ancillary facilities.		Great Sankey Parish Council RFL			
58	Halliwell Jones Stadium	Central	Rugby League	Sports Club	Existing	One senior pitch of good quality. Used by Warrington Wolves, professional rugby league team.	Retain pitch for use by professional club.	Warrington Wolves	Local Site	Low	Protect

59	Hillock Lane Playing Fields	East	Football	Local Authority	Existing	2 adult 11v11 pitches, 2 youth 9v9 pitches and 1 mini 5v5 pitch all of poor quality. Youth 9v9 pitches played to capacity with 0.5 MES of overplay recorded on adult and mini 5v5 pitches.	Investigate options to improve quality to address overplay on pitches. Site is located next to Woolston Park (site ID 143) and whole site needs to be considered in terms of development. No pitch drainage installed. Pitches currently have unrecorded use from adjacent high school which will increase overplay. Explore feasibility of introducing AGP provision to the site.	FA RFL SE WBC	Key Centre	High	Enhance & Provide
			Rugby League			Three senior pitches all of poor quality that are currently being over used by 7 matches per week.					
60	HM Prison (Thorn Cross)	South	Cricket	HM Prison	Existing	Pitches not assessed due to the secure nature of site.	Retain pitches for prison use.	HM Prison	Local Site	Low	Protect
			Football								
			Rugby League								
61	Hood Lane Recreation Ground	West	Football	Local Authority	Existing	1 adult pitch of standard quality. Pitch played to capacity.	Ensure maintenance of pitch continues in order that pitch can sustain play.	WBC	Local Site	Medium	Protect, Enhance & Provide
			Rugby League			Four senior pitches all of standard quality that are currently being over used by 7.75 matches per week.	Investigate options to improve quality and help address overplay. Explore feasibility of introducing AGP provision to the site.	WBC RFL			
62	Latchford St James Primary	South	Football	School	Existing	1 mini 7v7 pitch of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
63	Lockers Playing Field	Central			Lapsed	This site is in private ownership and has been submitted into the Local Plan Process as a potential site for use as a Gypsy & Traveller site.	Site proposed for alternative development.				
64	Locking Stumps Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
65	Loushers Lane Recreation Ground	South	Football	Local Authority	Existing	1 adult pitch, 1 youth 9v9 pitch and 2 mini 7v7 pitches all of poor quality. Adult pitch overplayed by 1.5 MES per week, youth 9v9 pitch overplayed by 0.5 MES per week. Mini 5v5 pitches have 0.5 MES capacity per week during peak periods.	Investigate options to improve quality to address overplay on adult and mini 5v5 pitches. If pitch quality improved, potential site to meet future increased demand.	FA WBC	Local Site	Low	Protect & Enhance
			Rugby League			One senior pitch of poor quality. Currently played to capacity.	Ensure maintenance of pitch continues in order that pitch can sustain play.	WBC RFL			
66	Lymm High School	South	Cricket	School	Existing	Standard quality square with five grass wickets and one non-turf wicket, not available for community use.	Continue with existing maintenance to maintain quality. Investigate options for community use.	ECB FA RFU School	Hub Site	Medium	Protect & Provide
			Football			2 adult pitches, 2 youth 11v11 pitches and 2 youth 9v9 pitches all of good quality. Adult pitches have 0.5 MES spare capacity, remaining pitches played to capacity. School use and community use.	Maintain pitches to current standards to ensure play can continue at current site. Ensure community user agreement is in place for future use. Explore feasibility of introducing AGP provision to the site.				
			AGP			Full size, sand dressed floodlit AGP of standard quality with community use. Also used for football training.	Retain pitch as sand dressed AGP to support development of hockey. Ensure a mechanism is in place for future sustainability, such as sinking fund.				
			Rugby Union			Three senior pitches of poor (M0/D1) quality. Not available for community use.	Retain pitches for school use, potential site for community use if needed.				
67	Lymm May Queen Field	South	Football	Local Authority	Disused	Currently open space, with no playing pitch provision.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC	Local Site	Low	Protect
68	Lymm Oughtrington Park Cricket Club	South	Cricket	Sports Club	Existing	One senior, good quality pitch with ten grass wickets. Overplayed by 20 matches per season.	Continue with existing maintenance to maintain quality. Investigate options to increase capacity to address overplay, including increasing the number of wickets on the square, introducing a non-turf wicket or relocating some play to alternative pitches.	Cricket Club ECB	Local Site	Low	Protect

69	Lymm Rugby Club	South	Rugby Union	Sports Club	Existing	Three senior pitches, two of which are good (M2/D2) quality and one which is of standard (M2/D1) quality. The standard quality pitch is floodlit and used for training resulting in overplay of 4.5 matches per week. Two mini pitches of good (M2/D2) quality. The mini pitches have no actual spare capacity whilst the senior pitches have 1 match equivalent session of spare capacity.	Support the current proposals for the facility, which include: Providing a World Rugby compliant 3G provision in the Area to support training need and reduce level of overplay; enhance ancillary facilities and introduce floodlights to a second pitch to reduce reliance on existing floodlit pitch which is heavily overplayed.	Sports Club RFU	Key Centre	High	Protect & Provide
70	Mary Ann Meadows	West	Football	Local Authority	Existing	4 adult pitches, 2 youth 9v9 pitches and 1 mini 7v7 pitch all of poor quality. Mini 7v7 pitch has capacity of 1 MES per week. Remaining pitches played to capacity.	Investigate options to improve quality pitch and changing facilities to increase capacity, in partnership with Cromwell Athletic JFC. Explore feasibility of introducing AGP provision to the site.	FA WBC	Key Centre	Medium	Enhance & Provide
71	Meadowside Primary	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
72	Monks Sports & Social Club	East	Football	Sports Club	Existing	1 adult pitch of good quality. Currently overplayed by MES.	Review current levels of play to maintain pitch quality.	Sports Club	Local Site	Low	Protect
			Rugby League			One senior pitch of good quality currently over used by 0.5 matches per week.	Maintain pitches to current standards. Review current usage to address overplay.	Sports Club RFL			
74	Morley Common	South	Football	Local Authority	Existing	4 adult pitches all of poor quality. 0.5 MES of capacity during peak period.	Investigate options to improve quality to provide useable capacity in the area. Upgrade parking facilities.	FA WBC	Local Site	Low	Enhance
75	Newchurch Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site		Protect
76	Oakwood Avenue Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site		Protect
77	Orford Jubilee Neighbourhood Hub	Central	Football	Community Interest Company	Existing	4 adult pitches, 1 of good quality and 3 of standard quality. 1 youth 9v9 pitch, 2 mini 7v7 pitch and 1 mini 5v5 pitch all of standard quality. No available capacity during peak periods.	Maintain pitches to current standards to ensure play can continue at current site.	FA LiveWire	Hub Site	Medium	Protect
			AGP			Standard quality full sized 3G pitch. On FA Pitch Register. Considered to be operating at capacity during weekday evenings but with capacity at weekends.	Maximise capacity for match play at weekends created through achieving certification, to address current and future Area shortfalls. Ensure rigorous and regular maintenance as required to sustain pitch quality. Ensure a mechanism is in place for future sustainability, such as a sinking fund.				Protect
						Ten half size 5v5 3G pitches, all floodlit of standard quality. Limited capacity during weekday evenings but capacity at weekends.	Ensure sinking fund is in place to service and upgrade pitches. Explore feasibility of introducing second full size AGP provision to the site.				Protect
78	Our Lady's Primary	South	Football	School	Existing	1 mini pitch of poor quality. School and community use. 0.5 MES capacity during peak periods.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
79	Outhrington Primary School	South	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed. Option 2.	WBC	Local Site	Low	Protect
80	Padgate Hall (Green Lane Playing Fields)	East	Football	Local Authority	Existing	2 adult pitches of poor quality. 2 MES capacity during peak periods.	Retain pitches to meet current and future demand.	WBC	Local Site	Low	Protect
81	Park Road Primary	West	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect

82	Peel Hall Playing Fields (Ballater Drive Recreation Ground / Millhouse Site)	East	Football	Local Authority	Existing	1 adult pitch, 1 youth 9v9 pitch and 1 mini 7v7 pitch all of poor quality. No changing facilities. No drainage system. Limited car parking.	Site currently subject to development proposal, therefore actions are separated into two parts 1) what you want to happen if the site is not developed and 2) what will happen if planning permission is granted. Option 1. Ensure maintenance of pitch continues in order that the level of play can be sustained. Car park provision requires extension and upgrade. Option 2. Ensure developer contributions are sought to replace existing provision, and cater for additional demand created by development, both in terms of pitch provision and ancillary facilities. Explore feasibility of introducing AGP provision to the site.	WBC	Local Site	High	Protect
83	Penketh Community Primary School	West	Football	School	Existing	2 mini 7v7 pitches of poor quality. School and community use. 0.5 MES capacity during peak period.	Retain pitches for school use, potential site for community use if needed. Ensure community user agreement is in place for future use.	School	Local Site	Low	Protect
84	Penketh High School	West	Football	Private	Existing	3 adult pitches of standard quality. School and community use. 0.5 MES spare capacity.	Retain pitches for school use, potential site for community use if needed. Ensure community use agreement is in place for future use.	FA School	Local Site	Medium	Protect & Enhance
			AGP			Full size, sand dressed floodlit AGP of standard quality with community use. No hockey use or demand at site. All useage football training related.	Explore feasibility of replacing current sand AGP provision with 3G AGP provision.				
85	Penketh South Primary	West	Football	School	Existing	1 youth 9v9 pitch of poor quality. School and community use. Overplayed by 2 MES per week.	Retain pitches for school use and explore options to improve pitch quality to address overplay. Site reconfiguration may be appropriate.	School	Local Site	Low	Protect & Enhance
86	Pewterspear Sports Pavillion	South	Cricket	Trust	Existing	One senior, good quality pitch with seven grass wickets. Can accommodate an additional 12 matches per season with peak time availability. Outfield used for football during off-season.	Ensure quality of pitch is maintained for current and future use.	ECB FA Trust	Local Site	Low	Protect
			Football			1 adult pitch, 2 youth 11v11 pitches, 2 mini 7v7 pitches and 1 mini 5v5 pitches all of standard quality. Adult pitch and youth 11v11 pitches overplayed by 0.5 MES. Mini 7v7 pitches and Mini 5v5 pitch have 5 and 1.5 MES spare capacity respectively.	Ensure maintenance of pitch continues in order that pitch can sustain play. Ensure community use agreement is in place for future use.				
87	Priestley College	South	Football	College	Existing	1 adult pitch of standard quality. Unavailable for community use.	Retain pitches for college use, potential site for community use if needed.	College EH FA	Local Site	Low	Protect
						Full size, sand dressed floodlit AGP of good quality with community use. Also used for football training. Some capacity at weekends if pitch availability was extended.	Retain pitch as sand dressed AGP to support development of hockey. Also explore options for additional hockey use. Ensure a mechanism is in place for future sustainability, such as sinking fund.				
88	Radley Common	Central	Football	Local Authority	Disused	Currently open space, with no playing pitch provision.	Potential relocation site for site ID 82, if appeal succesful.	WBC	Local Site	Medium	Protect
89	Ravenbank Primary	South	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
90	Ridgeway Grundy Park	South	Football	Local Authority	Existing	2 adult pitches of poor quality. 1.5 MES capacity during peak period.	Investigate options to improve quality to provide useable capacity in the area. Changing facilities require replacement.	WBC	Local Site	Low	Enhance
			Cricket			Standard quality square with seven wickets. Previously used by Rylands CC however club have recently folded and site manager plans to utilise pitch for alternative sports.	Liaise with site manager to understand plans for pitches.	WBC			



91	Rylands Recreation Club	Central	Football	Sports Club	Existing	1 adult pitch of good quality. 1 MES capacity during peak period.	Ensure maintenance of pitch continues in order that pitch can sustain play. Ensure community use agreement is in place for future use.	Sports Club	Local Site	Medium	Protect & Enhance
			AGP			Half size, sand dressed floodlit AGP of standard quality.	Encourage provider to have a sinking fund in place to service and upgrade pitch.	Sports Club WBC			
			Rugby League			One senior pitch and one primary pitch of standard quality. Currently over used by 6 and 1 matches per week respectively.	Investigate options to improve quality and help address overplay. Consider how an Rugby League compliant AGP could help service training demand and reduce overplay.	Sports Club RFL			
92	Sacred Heart Primary	West		School	Existing	Playing field used for informal recreational use only.		School WBC	Local Site	Low	Protect
93	Sandy Lane Recreation Ground	South	Football	Local Authority	Existing	1 adult pitch of poor quality. Overplayed by 2 MES per week.	Investigate options to improve quality in order to address overplay, replacement changing rooms and build future capacity.	WBC	Local Site	Low	Enhance
94	Sankey Valley St James Primary School	West	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
95	Shaw St Recreation Ground	East	Football	Local Authority	Existing	1 adult pitch of standard quality. 0.5 MES spare capacity during peak period.	Ensure maintenance of pitch continues in order that pitch can sustain play.	FA RFL WBC	Local Site	Medium	Protect & Enhance
			Rugby League			Two senior pitches of standard quality. The pitches are currently being overused by 4.5 matches per week in total.	Investigate options to improve quality and help address overplay. Support and consider how an Rugby League compliant AGP could help service training demand and reduce overplay.				
96	Sir Thomas Boteler High School	South	Football	School	Existing	2 adult pitches, 1 youth 9v9 pitch and 3 mini 7v7 pitches all of good quality. 1 MES spare capacity on each pitch type during peak periods. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site.	FA RFL School	Local Site	Low	Protect
			Rugby League			One senior pitch of standard quality. No recorded community use.	Retain pitches for school use, potential site for potential community use if needed.				
97	Sow Brook Playing Fields	South	Football	Local Authority	Existing	2 adult pitches of poor quality resulting in no community use. Pitches unuseable for majority of season.	Support and consider proposals to install drainage solution and site facilities to provide useable facilities in the area.	FA WBC	Local Site	Medium	Enhance
98	St Albans Primary School	Central	Football	School	Existing	1 adult pitch and 1 mini 7v7 pitch of poor quality, with overplay recorded on both. Recorded community use.	Investigate options to improve quality in order that pitch can sustain existing play.	FA School	Local Site	Low	Protect
99	St Andrews Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
100	St Ann's Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
101	St Barnabas Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
102	St Benedicts Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	FA RFL School WBC	Local Site	Low	Protect
			Rugby League			One junior pitch of standard quality overused by 2 match per week. Recorded community use.	Investigate options to improve quality and help address overplay. Consider how an Rugby League compliant AGP could help service training demand and reduce overplay.				Protect
103	St Bridgets Primary School	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
104	St Elphins Park	East	Football	Local Authority	Disused	Currently open space, with no playing pitch provision.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use developer contributions to improve other playing pitch sites (quantity and/or quality).	WBC	Local Site	Low	Protect
105	St Elphins Primary	East	Football	School	Existing	1 mini 7v7 pitch of poor quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect

106	St Gregorys High School	West	Cricket	Private	Existing	Standalone non-turf pitch located between grass pitches. Poor quality due to damage caused by improper use/ lack of maintenance	Seek to repair and resurface the non-turf pitch to cater for school use if needed.	ECB FA School	Local Site	Medium	Protect, Enhance & Provide
			Football			5 adult pitches and 4 mini 7v7 pitches of standard quality. Adult pitches overplayed by 8 MES. No spare capacity during peak periods. Recorded community use.	Investigate options to improve quality to increase capacity, in partnership with Crosfields JFC. Explore feasibility of introducing AGP provision to the site.				
107	Hollins Green St Helen's C of E Primary School	East	Football	School	Existing	1 mini 7v7 pitch of Standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
108	St Josephs Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
109	St Lewis Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
110	St Margerets Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
111	St Oliver Plunket Primary School	East		WBC	Lapsed	Planning permission (2016/28810) was granted for residential development on this site on 18th May 2017	Site proposed for alternative development.	WBC			
112	St Oswalds Primary	East	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
113	St Paul of the Cross Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
114	St Peter's Primary School	East	Football	School	Existing	1 mini 7v7 pitch of standard quality. 0.5 MES spare capacity during peak period. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site.	School	Local Site	Low	Protect
115	St Philip Westbrook Church of England Primary School	West	Football	School	Existing	1 mini 7v7 pitch of poor quality and played to capacity. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site.	School	Local Site	Low	Protect
116	St Stephens Primary School	Central	Football	School	Existing	1 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
117	St Thomas Primary School	South	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
118	St Vincents Catholic Primary School	West	Football	School	Existing	1 mini 5v5 pitch of poor quality. Overplayed by 1 MES per week. Recorded community use.	Review current levels of play to address overplay.	School	Local Site	Low	Protect
119	St Wilfred's Primary School	South	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
120	Statham Primary School	South	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
121	Stocks Lane Playing Field	West	Football	Local Authority	Existing	1 youth 11v11 pitch of poor quality. Overplayed by 0.5 MES per week. No ancillary facilities available at site.	Retain pitch for community use	WBC	Local Site	Low	Protect
122	Stockton Heath Primary School	South	AGP	School	Existing	Half size, sand dressed AGP of standard quality. Not floodlit. No community use.	Retain pitch for school use.	School	Local Site	Low	Protect
123	Stretton St Matthews	South	Football	School	Existing	1 adult pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
124	Sycamore Lane Primary School	West	Football	Local Authority	Disused	Replacement pitch provision provided at new Chapelford Primary School site. Linked to West Warrington school expansion plan.	Site proposed for alternative development.	WBC			
126	Thelwall Junior School	South	Football	School	Existing	2 mini 7v7 pitch of poor quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
127	Thornton Road Recreation Centre	West	Football	Local Authority	Existing	2 adult pitches of poor quality. Overplayed by 1.5 MES per week.	Investigate options to improve pitch quality and changing facilities to increase capacity and address overplay.	FA RFU WBC	Local Site	Medium	Enhance & Provide
			Rugby Union			One senior pitch of poor (M0/D1) quality overplayed by 0.5 matches per week.	Explore the possibility of introducing floodlights to PFL pitch to provide more appropriate				
128	Twiss Green Primary School	East	Football	School	Existing	1 mini 7v7 pitch of Standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
			Cricket			Standalone non-turf pitch located between grass pitches. Poor quality due to damage caused by improper use/ lack of maintenance	Seek to repair and resurface the non-turf pitch to cater for school use if needed.				

129	University Academy Warrington	East	Football	School	Existing	2 adult pitches and 2 youth 9v9 pitches of standard quality. Adult pitches have 1 MES spare capacity during peak period. Youth 9v9 pitches are overplayed by 0.5 MES per week. Recorded community use.	Retain pitches for school use, potential site for community use if needed.	ECB FA School	Local Site	Low	Protect & Enhance
			AGP			Standard quality full sized 3G pitch. Considered to be operating near capacity during weekday evenings but with capacity at weekends.	Explore opportunities to accommodate match play at weekends through achieving certification, to address current and future Area shortfalls. Ensure rigorous and regular maintenance as required to sustain pitch quality. Ensure a mechanism is in place for future sustainability, such as a sinking fund.				
130	University Of Chester (Warrington Campus)	East	Football	University	Existing	1 adult pitch of good quality currently played to capacity. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site.	EH FA RFL RFU University	Key Centre	Low	Protect & Enhance
			AGP			Full size, sand filled floodlit AGP of standard quality with community use. Limited community availability during weekday evenings. Considered to be operating at capacity.	Retain pitch as sand dressed AGP to support development of hockey. Ensure a mechanism is in place for future sustainability, such as sinking fund.				
			Rugby League			One senior pitch of standard quality overused by 2 matches per week. Recorded community use.	Investigate options to improve quality and help address overplay.				
			Rugby Union			One senior pitch of poor (M0/D0) quality overplayed by 0.75 matches per week. Pitches used by University.	Investigate options to improve quality to address overplay.				
131	Victoria Park	South	Football	Local Authority	Existing	4 adult pitches, 3 of standard quality and 1 of poor quality. Spare capacity of 2.5 MES per week.	Maintain pitches to current standards to ensure play can continue at current site. Site has additional capacity. Consider upgrade to changing facilities.	FA RFL WBC	Hub Site	High	Protect, Enhance & Provide
			Rugby League			Three senior pitches, one of good quality and two of poor quality. Currently overplayed by 2 matches per week.	Investigate options to improve quality of poor pitches and help address overplay. Explore feasibility of introducing AGP provision to the site.				
132	Victoria Park Stadium		Rugby League			One senior pitch of good quality with limited spare capacity (0.5 matches per week).	Ensure maintenance of pitch continues in order that pitch can sustain play. Retain spare capacity to maintain quality.				
132	Victoria Park Arena		Rugby League			One senior pitch of good quality with 2.5 matches per week of spare capacity. The pitch is dual use with football and is located within an athletics track.	Ensure maintenance of pitch continues in order that pitch can sustain play. Regularly review useage to ensure pitch is being utilised fully.				
133	Warrington Sports Club	South	Cricket	Sports Club	Existing	Two senior, good quality pitches each with ten grass wickets. Currently played to capacity.	Ensure quality of pitch is maintained for current and future use.	ECB RFU Sports Club	Local Site	Low	Protect & Enhance
			Rugby Union			Two senior pitches of standard (M1/D2) quality both overplayed by 1.5 matches per week.	Investigate options to improve quality to address overplay. Investigate options to introduce floodlighting to existing site so training can be accommodated on appropriate pitch provision.				
134	Westbrook Old Hall Primary School	West	Football	School	Existing	1 mini 7v7 pitch of standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
135	Westy Park	South	Football/ Rugby League	Local Authority	Lapsed	Currently open space, with no playing pitch provision.	Plans to reintroduce 2 sports pitches on site. PPS Steering Group to determine pitch types based on demand.	WBC	Local Site	Medium	Provide
136	Whitecross Community Centre	Central	AGP	Local Authority	Existing	Half size, floodlit 3G pitch of standard quality. Open access pitch.	Review access/ management arrangements to protect pitch and maximise it's impact. Ensure sinking fund is in place for future refurbishment.	WBC	Local Site	Low	Protect
137	Wilderspool Stadium	South	Rugby League	Local Authority	Disused	Play transferred to Victoria Park Stadium. Site identified for development.	Site proposed for alternative development.	WBC			
138	Winwick Recreation Ground	East	Football	Local Authority	Existing	2 adult pitches and 1 mini 7v7 pitch of standard quality. No spare capacity during peak periods.	Maintain pitches to current standards to ensure play can continue at current site.	Parish Council	Local Site	Low	Protect

139	Woolston C of E Primary School	East	Football	School	Existing	1 mini 7v7 pitch of standard quality. 0.5 MES spare capacity during peak period.	Maintain pitches to current standards to ensure play can continue at current site.	School	Local Site	Low	Protect
140	Woolston Community Primary	East	Football	School	Existing	1 mini 7v7 pitch of standard quality. 0.5 MES spare capacity during peak period.	Maintain pitches to current standards to ensure play can continue at current site.	School	Local Site	Low	Protect
141	Woolston Learning Village	East	Football	School	Existing	1 mini pitch of standard quality. Unavailable for community use.	Retain pitches for school use, potential site for community use if needed.	School	Local Site	Low	Protect
142	Woolston Neighbourhood Hub	East	Football	Local Authority	Existing	1 youth 11v11 pitch of poor quality, currently played to capacity.	Investigate options to improve quality to provide useable capacity in the area.	FA WBC	Local Site	Low	Enhance
143	Woolston Park	East	Football	Local Authority	Existing	1 adult pitch, 1 youth 9v9 pitch, 3 mini 7v7 pitches and 1 mini 5v5 pitch all of poor quality. Adult pitch overplayed by 1 MES. No MES capacity in the peak periods.	Investigate options to improve quality to address overplay on adult pitch. Support and consider upgraded site changing / community facilities. Site is located next to Hillock Lane (site ID 59) and whole site needs to be considered in terms of development.	FA WBC	Key Centre	High	Protect & Enhance
145	The Oaks Playing Fields	East	Football	Sports Club	Existing	2 youth 11v11 pitches, 2 youth 9v9 pitches, 2 mini 7v7 pitches and 2 mini 5v5 pitches all of good quality. No MES capacity during peak periods.	Maintain pitches to current standards to ensure play can continue at current site.	Sports Club	Local Site	Low	Protect
146	Tim Parry Community Centre	West	Football	Parish Council	Existing	1 youth 9v9 pitch and 1 mini 7v7 pitch of poor quality. Youth 9v9 pitch overplayed by 0.5 MES per week. No spare capacity during peak periods.	Investigate options to improve quality in order to address overplay and build future capacity.	FA Great Sankey Parish Council	Local Site	Low	Protect & Enhance
147	Bradshaw Community Primary School	South	Football	School	Existing	1 mini 7v7 pitch of Standard quality. Available for community use but unused.	Retain pitches for school use, potential site for community use if needed.	WBC	Local Site	Low	Protect
148	Fiddlers Ferry Power Station	West	Football	Commercial Management	Existing	1 adult pitch of good quality, currently played to capacity.	Maintain pitches to current standards to ensure play can continue at current site.	Commercial Manager	Local Site	Low	Protect
149	St Monica's Catholic Primary School	South	Football	School	Existing	1 mini 5v5 pitch of standard quality. No MES spare capacity during peak period. Recorded community use.	Maintain pitches to current standards to ensure play can continue at current site.	School	Local Site	Low	Protect
150	Kings Leadership Academy	East	AGP	School	Existing	Half size 3G pitch not floodlit.	Retain pitch for school use.	School	Local Site	Low	Protect
151	Warrington Wolves Training Dome	East	AGP	Sports Club	Existing	Half size 3G pitch within a dome. Used by Warrington Wolves first team and academy for trianing. Limited community use.	Retain pitch for use by professional club. Review community use to establish spare capacity available to address overplay due to training taking place on grass pitches.	Warrington Wolves	Local Site	Low	Protect
152	Bridge Lane	South	Rugby Union	Sports Club	Lapsed	Owned by Warrington Borough Council, and the former home of Warrington RUFC, the site became disused in 2004 following a fire which destroyed the club house at the site. Warrington RUFC continues to lease the site under terms dating back to 1959 however the condition of the site and the associated pitches has deteriorated significantly. The current lease has around 40 years still to run.  The site previously provided two pitches (1 senior / 1 junior), one of which was floodlit.  As part of the consultation Warrington RUFC indicated aspirations to return to the site in the future.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC RFU	Local Site	High	Protect
153	St Werbergh's CofE Primary School	South			Lapsed	School closed and no current playing pitch provision on site.	Future priority order of options: 1. Retain/allocate site as strategic reserve. 2. Explore feasibility to bring back into use. 3. Use as open space to meet local needs. 4. Redevelop site and use any developer contributions to improve other playing pitch sites (quantity and/or quality)	WBC			



